

CUTTING, SAWING AND GRINDING





Angle Grinders

4" Angle grinder AG 100-S	Page 150
4" Angle grinder AG 100-D	Page 151
5" Angle grinder AG 125-13S	Page 152
5" Angle grinder AG 125-15DB	Page 153
7" Angle grinder AG 180-D	Page 154
Thin cutting disc, AC-D special performance	Page 156
Cutting disc, AC-D universal performance	Page 156
Grinding disc, AG-D special performance	Page 157
Grinding disc, AG-D universal performance	Page 157
Drywall stud cutting disc for chop saws AC-D DS	Page 157
Diamond cutting disc/grinding wheel DC-D/DG-CW	Page 158



Vacuum Cleaners

Universal vacuum cleaner VC 20-U(M)	Page 160
Universal vacuum cleaner VC 40-U	Page 161
Universal hybrid vacuum cleaner VC 40-U-Y	Page 162
Universal Vacuum Cleaner VC 40L-X	Page 163
Universal Vacuum Cleaner VC 40M-X	Page 164
Cordless Vacuum Cleaner VC 5-A22	Page 165

HILTI CUTTING, GRINDING AND SAWING TOOLS

Outperforming makes every task easier

Applications		Systems
	AG 100-D/AG 100-S angle grinder 850 / 700W (AG) motor on a 4" grinder to make all the cutting and grinding tasks easier than before	
	AG 125-13S angle grinder Powerful 1300W motor for easy cutting and grinding with robust design for longer tool lifetime.	
	AG 125-15DB angle grinder 1500W motor on a 5" grinder for cutting and grinding concrete, hard stone, steel and metal with dust free capability.	
	AG 180-20D angle grinder High power 2000W motor on a 7" grinder for cutting and grinder more efficiently.	
	WSR 900-PE orbital reciprocating saw 900W motor with constant speed electronics to assure consistent cutting performance even under heavy load.	
	WSJ 750-ET orbital jig saw The robust work horse with 750W motor for fast cutting even under tough conditions.	
	WSJ 850-ET orbital jig saw 850W motor for more power and working comfort for clean and accurate cutting.	

4" Angle grinder AG 100-S



APPLICATIONS

- Cutting and grinding metals
- Occasional use for cutting and grinding mineral materials
- Mainly finishing applications

ADVANTAGES

- Powerful 850 W(AG 100-8S) / 700 W(AG 100-7S) motor
- Low-profile design for easy access to tight spaces
- Convenient and easy to use
- Good working comfort – less tiring to use over long periods
- Comes complete with a spare set of carbon brushes



with VC 20 / 40-U / VC 40-U-Y and
DG-EX 100/4" (Only for concrete grinding)

Technical data	
Disc diameter	100 mm
Max. cutting depth	16 mm
No-load speed	11500 rpm
Dimensions (LxWxH)	284 x 79 x 103 mm
Weight according to EPTA Procedure 01/2003	1.9 kg



Order Now Watch Video



Package contents

Tools	Inserts	Item Number
AG 100-8S 230V	CUTTING DISC AC-D 4" SPX MP25	3553415
AG 100-7S 110V		3553416

Please visit Hilti website for the latest item numbers and related products

4" Angle grinder AG 100-D



APPLICATIONS

- Cutting and grinding metals
- Occasional use for cutting and grinding mineral materials
- Mainly finishing applications

ADVANTAGES

- Powerful 850W(AG 100-8D) / 700W(AG 100-7D) motor
- Comes complete with a spare set of carbon brushes
- Safety dead-man's switch
- Low-profile design for easy access to tight spaces
- Convenient and easy to use



with VC 20 / 40-U / VC 40-U-Y and
DG-EX 100/4" (Only for concrete grinding)

Technical data	
Disc diameter	100 mm
Max. cutting depth	16 mm
No-load speed	11500 rpm
Dimensions (LxWxH)	279 x 79 x 103 mm
Weight according to EPTA Procedure 01/2003	1.9 kg



Order Now



Package contents

Tools	Inserts	Item Number
AG 100-8D 230V X 1	CUTTING DISC AC-D 4" SPX MP25	3566951
AG 100-7D 110V X 1	CUTTING DISC AC-D 4" SPX MP25	3566952

Please visit Hilti website for the latest item numbers and related products

5" Angle grinder AG 125-13S NEW**APPLICATIONS**

- Cutting and grinding steel and mineral materials
- Cutting, rough and fine grinding of metals and mineral materials
- Removing coatings on cement and screed
- Renovating joints

ADVANTAGES

- Hilti Smart Power™ technology for consistently high cutting performance
- Hilti Active Torque Control technology minimizes undesirable kickback
- Minimised dust during cutting, slitting and grinding when dust protection hoods are used
- Very powerful and robust motor
- Time-saving cutting and slitting (chasing) in widths up to 25mm, using two discs (with DC-EX 125/5"M)

Technical data

Disc diameter	125 mm
No-load speed	11500 rpm
Dimensions (LxWxH)	314 x 81 x 104 mm
Weight according to EPTA Procedure 01/2003	2.5 kg



Fleet Management



with VC 20 / 40-U / VC 40-U-Y and DG-EX 125/5"C /
DG-EX 125/5"M / DG-EX 125/5"C (Only for concrete slitting and grinding)

Order Now**Package contents**

	Inserts	Item number
AG 125-13S 230V		3600965
AG 125-13S 110V	Cutting Disc AG-D 5" SPX 1.0 MP25	3600964

Please visit Hilti website for the latest item numbers and related products

5" Angle grinder AG 125-15DB **NEW**



APPLICATIONS

- Cutting and grinding steel and mineral materials
- Cutting, rough and fine grinding of metals and mineral materials
- Removing coatings on cement and screed
- Renovating joints
- Working on a wide variety of surfaces and materials

ADVANTAGES

- Powerful 1500W motor capable of driving both metal cutting and grinding
- Ergonomically designed tool for universal use in cutting and grinding applications
- Hilti Smart Power Technology™ for constantly high cutting performance
- Active Torque Control (ATC) technology minimises undesirable kick-back
- Virtually dustless cutting and grinding in conjunction with specific dust protection hoods
- Quick-acting brake stops the disc within seconds – ideal for working in cramped conditions
- Maximum safety thanks to the convenient, ergonomically designed dead man's switch

Technical data	
Disc diameter	125 mm
No-load speed	11500 rpm
Dimensions (LxWxH)	319 x 102 x 89 mm
Weight according to EPTA Procedure 01/2003	2.7 kg



with VC 20 / 40-U / VC 40-U-Y and
DG-EX 125/5"C / DG-EX 125/5" (Only for concrete slitting and grinding)



Ordering designation	Package contents	Item number
AG 125-15DB 230V	Cutting Disc AC-D 5" SPX 1.0 MP25	3599062
AG 125-15DB 110V		3599061

Please visit Hilti website for the latest item numbers and related products

7" Angle grinder AG 180-D



APPLICATIONS

- Weld grinding and metal preparation

ADVANTAGES

- Three-position side handle
- Safety multi-finger dead-man's switch
- Spindle lock for fast, easy disc changing



No costs for maximum twice replacement within the first year

Technical data

Disc diameter	180 mm
Max. cutting depth	42 mm
No-load speed	8500 rpm
Dimensions (LxWxH)	470 x 106 x 132 mm
Weight according to EPTA Procedure 01/2003	5.2 kg



Package contents

Tools	Inserts	Item Number
AG 180-20D 230V	Cutting Disc AC-D 7" SPX 1.0 MP25	3553417

Please visit Hilti website for the latest item numbers and related products

Accessories for Angle Grinder

		AG 100-S	AG 100-D	AG 125-13S	AG 125-15DB		
Ordering designation						Sales pack quantity	Item number
Dust extr. hood (grinding) DG-EX 100/4" Dust collection hood for concrete and mineral grinding applications		■	■			1 pc	2101313
Dust extr. hood (grinding) DG-EX 125/5" Dust collection hood for concrete and mineral grinding applications				■	■	1 pc	2126539
Dust extr. hood (cutting) DC-EX 125/5"C Dust collection hood for concrete and mineral cutting or slitting applications				■	■	1 pc	284978
Dust extr. hood (slitting) DC-EX 125/5"M Dust collection hood for concrete and mineral cutting or slitting applications and double disc compatibility				■		1 pc	267720
Adapter DC-EX SL kit Use together with Dust extr. hood (slitting) DC-EX 125/5"M to separate two cutting discs for concrete and mineral slitting				■		1 pc	352945 ¹⁾
Quick-locking nut flat Fits the M14 spindle (125, 150, 180, and 230 mm diameters)				■		1 pc	2149274
Side handle				■	■	1 pc	282140
Side handle		■	■			1 pc	2079849 ¹⁾
Fine pitch thread Nut M14				■		1 pc	435770
Fine pitch thread Nut M14					■	1 pc	2138623
Fine pitch thread Nut M10		■	■			1 pc	2079852 ¹⁾
Nut M14				■	■	1 pc	2009990 ¹⁾
Nut M10		■	■			1 pc	2079851 ¹⁾
Protective cover				■	■	1 pc	341429
Protective cover		■	■			1 pc	2079845 ¹⁾
Clip-on front cover				■	■	1 pc	2103510
Clip-on front cover		■	■			1 pc	2079846 ¹⁾

¹⁾ For detailed stock availability and lead time information please contact your Hilti representative.

Please visit Hilti website for the latest item numbers and related products

Thin cutting disc, AC-D special performance

APPLICATIONS

- Cutting steel and stainless steel pipes, rods, profiles and metal sheets

ADVANTAGES

- Special Performance (SP) disc with a harder bond for maximum performance and longest life



Order Now



Ordering designation	Disc diameter	Blade thickness	Arbour	Blade / disc shape	Max. permitted speed	Sales pack quantity	Item number
AC-D SP 125x1.0	125 mm	1 mm	22.23 mm	Shape 41	12300 rpm	25 pc	2150704
AC-D SPX 105x1.0	105 mm	1 mm	22.23 mm	Shape 41	12300 rpm	50 pc	2253920
AC-D SPX 105x1.0	105 mm	1 mm	22.23 mm	Shape 41	12300 rpm	25 pc	2251539
AC-D SPX 125x1.0	125 mm	1 mm	22.23 mm	Shape 41	12300 rpm	25 pc	2150705
AC-D SPX 150x1.2	150 mm	1.2 mm	22.23 mm	Shape 41	10200 rpm	25 pc	2150730
AC-D SPX 180x1.5	180 mm	1.5 mm	22.23 mm	Shape 41	8500 rpm	25 pc	2150733

Please visit Hilti website for the latest item numbers and related products

Cutting disc, AC-D universal performance

APPLICATIONS

- Cutting steel and stainless steel pipes, rods, profiles and metal sheets

ADVANTAGES

- Universal Performance (UP) disc with a more flexible bond for lasting high performance and value



Ordering designation	Disc diameter	Blade thickness	Arbour	Blade / disc shape	Max. permitted speed	Sales pack quantity	Item number
AC-D 100 UP 1mm (50)	100 mm	1 mm	16 mm	Shape 41	15300 rpm	50 pc	412414
AC-D 100 UP 2.5mm (25)	100 mm	2.5 mm	16 mm	Shape 41	15300 rpm	25 pc	412415

Please visit Hilti website for the latest item numbers and related products

Grinding disc, AG-D special performance

APPLICATIONS

- Edge and surface grinding on steel and stainless steel

ADVANTAGES

- Special Performance (SP) disc with a harder bond for maximum performance and longest life



Order Now



Ordering designation	Disc diameter	Blade thickness	Arbour	Blade / disc shape	Max. permitted speed	Sales pack quantity	Item number
AG-D SP 125x6.4	125 mm	6.4 mm	22.23 mm	Shape 27	12250 rpm	10 pc	2150740
AG-D SP 150x6.4	150 mm	6.4 mm	22.23 mm	Shape 27	10200 rpm	10 pc	2150742

Please visit Hilti website for the latest item numbers and related products

Grinding disc, AG-D universal performance

APPLICATIONS

- Edge and surface grinding on steel and stainless steel

ADVANTAGES

- Universal Performance (UP) disc with a more flexible bond for lasting high performance and value



Order Now



Ordering designation	Disc diameter	Blade thickness	Arbour	Blade / disc shape	Max. permitted speed	Sales pack quantity	Item number
AG-D 100 UP 6.4mm (10)	100 mm	6.4 mm	16 mm	Shape 27	15300 rpm	10 pc	412413

Please visit Hilti website for the latest item numbers and related products

Drywall stud cutting disc for chop saws AC-D DS

APPLICATIONS

- Cutting drywall studs with chop saws




Order Now



Ordering designation	Blade thickness	Arbour	Blade / disc shape	Base Material	Sales pack quantity	Item number
AC-D 14"x3/32"x1" DS SP	2.381 mm	25.4 mm	Shape 1	Drywall studs	10 pc	436732
AC-D 14"x3/32"x1" ST UP	2.381 mm	25.4 mm	Shape 1	General steel	10 pc	436735

Please visit Hilti website for the latest item numbers and related products

Diamond cutting / grinding disc – Performance Line


[Order Now](#) [Watch Video](#)


Ordering designation	Disc diameter (mm)	Segment height (mm)	No. of segments	Features	Sales pack quantity	Item number
P-S 100/20/16 UNIV CUTTING DISC	100 mm	12 mm	5	Concrete	1 pc	2118554
P-S 125/22.2 UNIV CUTTING DISC	125 mm	12 mm	7	Concrete	1 pc	2118670
Diamond Cup 100/4" P(2) univ.	100 mm	12 mm	5	Concrete	2 pc	2164630
Diamond Cup 125/5" P(2) univ.	125 mm	12 mm	9	Concrete	2 pc	2163739

Please visit Hilti website for the latest item numbers and related products

4

Diamond cutting / grinding disc – Super Performance Line


[Order Now](#)


Ordering designation	Disc diameter (mm)	Segment height (mm)	No. of segments	Features	Sales pack quantity	Item number
EQD SPX 100/22 UNIV CUTTING DISC	100 mm	12 mm	7	Concrete	1	2117954
EQD SPX 125/22 UNIV CUTTING DISC	125 mm	12 mm	9	Concrete	1	2117958
Diamond Cup 125/5" SPX univ.	125 mm	12 mm	7	Concrete	1	2163565

Please visit Hilti website for the latest item numbers and related products

Jig saw blade for wood



APPLICATIONS

- For fast, accurate, straight or curved cuts Hilti has the right blade for every job

ADVANTAGES

- Hilti jig saw blades offer a variety of blade shapes and tooth configurations offering the right blade for every job, for straight or curved cuts

Technical data	
Base material	Wood
Blade material	HCS
Blade features	Long life, clean cut, exact angle
Shank	Single lug shank (T-shank)

Order Now



Ordering designation	Blade type	Toothed section length	Tooth pitch	Teeth per inch	Application ranged	Sales pack quantity	Item number
Jig saw blade WD 93 2.5 HCS (5)	-	93 mm	2.5 mm	-	-	5 pc	2154916
Jig saw blade WD 77 P HCS (5)	-	77 mm	Progressive	-	-	5 pc	2114715

Please visit Hilti website for the latest item numbers and related products

Jig saw blade for metal



APPLICATIONS

- Cutting sheet metal, metal tubes and pipes

ADVANTAGES

- Hilti jig saw blades offer a variety of blade shapes and tooth configurations offering the right blade for every job, for straight or curved cuts

Technical data	
Base material	Metal
Blade material	BIM bi-metal
Shank	Single lug shank (T-shank)

Order Now



Ordering designation	Blade type	Toothed section length	Tooth pitch	Teeth per inch	Application ranged	Sales pack quantity	Item number
Jig saw blade SP 77 (5) Wood Curve	-	77 mm	-	-	-	5	2332308
Jig saw blade SP 93 (5) Wood Precision	-	93 mm	-	-	-	5	2332287
Jig saw blade SPX 105 (5) Universal	-	105 mm	-	-	-	5	2332310

Please visit Hilti website for the latest item numbers and related products

Jig saw blade for multiple materials



APPLICATIONS

- Cutting wood, metal and plastics using the same blade.

ADVANTAGES

- Hilti jig saw blades are available in a variety of shapes and tooth configurations providing the right blade for virtually any job, no matter whether making straight or contoured cuts

Technical data	
Base material	Multiple materials
Blade features	Long life, curve cut
Blade type	CurveCut

Order Now



Ordering designation	Blade type	Toothed section length	Tooth pitch	Teeth per inch	Application ranged	Sales pack quantity	Item number
Jig saw blade UD 105 P HM (5)	-	105 mm	Progressive	-	-	5 pc	2185149

¹⁾ For detailed stock availability and lead time information please contact your Hilti representative.

Please visit Hilti website for the latest item numbers and related products

Universal vacuum cleaner VC 20-U(M)



APPLICATIONS

- Removing dust from drilling, slitting, grinding, cutting and coring
- Removing slurry from wet coring and cleaning

ADVANTAGES

- Hilti AirBoost filter technology for consistently high suction performance
- Very good handling thanks to extremely compact design
- Full exploitation of tank capacity due to placement of filter and hose connection in the upper part of the machine
- Robust housing to withstand the harshest jobsite conditions
- New tank concept for easy and virtually dust-free dust emptying
- Maximum total dust load: up to 25 kg



Fleet Management



2009

Technical data

Container capacity	21 L
Dust capacity	23 kg
Water capacity	13.5 L
A-weighted emission sound pressure level ¹⁾	71 dB (A)
Hose diameter	36 mm
Hose length	5000 mm
Weight according to EPTA Procedure 01/2003	13 kg
Dimensions (LxWxH)	505 x 380 x 500 mm

¹⁾ according to EN 60745



Order Now



Ordering designation	Package contents	Sales pack quantity	Item number
VC 20-UL 230V	1x Univ. vacuum cleaner VC 20-UL 230V	1 pc	2114592
VC 20-UM 110V	1x Univ. vacuum cleaner VC 20-UM 110 V	1 pc	2114599

Please visit Hilti website for the latest item numbers and related products

Universal vacuum cleaner VC 40-U



APPLICATIONS

- Removing dust from drilling, slitting, grinding, cutting and coring
- Removing slurry from wet coring and cleaning

ADVANTAGES

- Hilti AirBoost filter technology for consistently high suction performance
- Very good handling thanks to extremely compact design
- Full exploitation of tank capacity due to placement of filter and hose connection in the upper part of the appliance
- Robust housing to withstand the harshest jobsite conditions
- New tank concept for easy and virtually dust-free dust emptying
- Maximum total dust load: up to 40 kg



Technical data	
Container capacity	36 L
Dust capacity	40 kg
Water capacity	25 L
A-weighted emission sound pressure level ¹⁾	71 dB (A)
Hose diameter	36 mm
Hose length	5000 mm
Weight according to EPTA Procedure 01/2003	14.7 kg
Dimensions (LxWxH)	505 x 380 x 610 mm

¹⁾ according to EN 60745




Order Now



Ordering designation	Package contents	Sales pack quantity	Item number
VC 40-UL 230V	1x Univ. vacuum cleaner VC 40-UL 230V	1 pc	2114605
VC 40-UM	1x Univ. vacuum cleaner VC 40-UM	1 pc	2114611

Please visit Hilti website for the latest item numbers and related products

Universal hybrid vacuum cleaner VC 40-U-Y



APPLICATIONS

- Removing dust from drilling, slitting, grinding, cutting and coring
- Removing wet coring slurry
- General cleaning and removal of wet and dry materials
- Charging all Hilti Li-ion batteries (14V, 22V, 36V)
- Transporting all Hilti toolboxes (up to max. 25 kg)

ADVANTAGES

- Corded and cordless wet and dry vacuum cleaner
- Integrated universal battery charger for all Hilti Li-ion batteries (14V, 22V, 36V)
- Hilti AirBoost filter technology for consistently high suction performance
- Hilti AirBoost filter technology on/off switch for quieter operation
- Easy to operate with new HMI interface, incorporating LEDs for indication of battery charging and charging progress
- Built-in power socket enabling synchronized operation with electric tools for improved working convenience
- Robust casing designed to withstand the harshest jobsite conditions



Technical data

Container capacity	36 L
Dust capacity	40 kg
Water capacity	25 L
A-weighted emission sound pressure level ¹⁾	70 dB (A)
Hose diameter	36 mm
Hose length	4650 mm
Weight according to EPTA Procedure 01/2003	16.9 kg
Dimensions (LxWxH)	530 x 380 x 670 mm

¹⁾ according to EN 60745



Order Now



Ordering designation	Package contents	Sales pack quantity	Item number
VC 40-U-Y 230V	1x Univ. vacuum cleaner VC 40-U-Y 230V	1 pc	2044382

Please visit Hilti website for the latest item numbers and related products

Universal Vacuum Cleaner VC 40L-X



APPLICATIONS

- Dust extraction from grinding, cutting, slitting, drilling and dry coring tools
- Wet and dry cleaning
- Removing slurry during wet coring applications

ADVANTAGES

- Sturdy universal vacuum cleaner built for construction work – integrated push-bar for mobility over longer distances and extra-durable components to withstand the harshest jobsite conditions
- Extremely durable Solight-ecco® tires – help to withstand water, heat and punctures when in use on construction sites
- Hilti AirBoost automatic, adaptive filter cleaner – cleans the air filter as soon as necessary, keeping dust extraction performance consistently high
- Performance display – live feedback on the vacuum cleaner's filter status and suction strength
- Optional auto-start available – enables on/off via Bluetooth® remote control

Technical data

Air Flow Motor Alone	74 l/s
Air Flow at Hose End	39 l/s
Max. Vacuum	24.5 kPa
Water capacity	22.8 l
Container capacity	30 l
Dust capacity	34 kg
Dust class	L
Integrated power socket	Yes
Max socket output power	2400 W
Power source	Corded
Noise	69 dB (A)
Rated input power	1200 W
Rated input voltage	230 V
Supply cord length	7000 mm
Dimensions (LxWxH)	560 x 365 x 590 mm
Weight according to EPTA Procedure 01/2003	14.4 kg



Ordering designation	Package contents	Sales pack quantity	Item number
VC 40L-X 230V	1x Filter VC 20-/40-X univ, 1x Dust bag VC 40-X (10) plastic, 1x Dust bag VC 40-X (10) fleece, 1x Filter VC 20-/40-X dry	1 pc	2220075

Please visit Hilti website for the latest item numbers and related products

Universal Vacuum Cleaner VC 40M-X



APPLICATIONS

- Dust extraction from grinding, cutting, slitting, drilling and dry coring tools
- Wet and dry cleaning
- Removing slurry during wet coring applications

ADVANTAGES

- Sturdy universal vacuum cleaner built for construction work – integrated push-bar for mobility over longer distances and extra-durable components to withstand the harshest jobsite conditions
- Extremely durable Solight-ecco® tires – help to withstand water, heat and punctures when in use on construction sites
- Hilti AirBoost automatic, adaptive filter cleaner – cleans the air filter as soon as necessary, keeping dust extraction performance consistently high
- Performance display – live feedback on the vacuum cleaner's filter status and suction strength
- Optional auto-start available – enables on/off via Bluetooth® remote control

Technical data

Air Flow Motor Alone	71 l/s
Air Flow at Hose End	38 l/s
Max. Vacuum	22.3 kPa
Water capacity	22.8 l
Container capacity	30 l
Dust capacity	34 kg
Dust class	M
Integrated power socket	Yes
Max socket output power	650 W
Power source	Corded
Noise	69 dB (A)
Rated input power	1100 W
Rated input voltage	110 V
Supply cord length	7000 mm
Dimensions (LxWxH)	560 x 365 x 590 mm
Weight according to EPTA Procedure 01/2003	14.4 kg



Ordering designation	Package contents	Sales pack quantity	Item number
VC 40M-X 110V (16A)	1x Filter VC 20-/40-X univ, 1x Dust bag VC 40-X (10) plastic, 1x Dust bag VC 40-X (10) fleece, 1x Filter VC 20-/40-X dry	1 pc	2220075

Please visit Hilti website for the latest item numbers and related products

Cordless Vacuum Cleaner VC 5-A22 **NEW**



APPLICATIONS

- Cleaning
- Dust extraction during drilling

ADVANTAGES

- Compact size and light weight for easy carrying. Shoulder strap to carry tool close to the body while keeping both hands free
- Two power modes – eco and full
- A floor tool and a crevice nozzle are stored on-board
- Hose expands up to 2.5 m to reach into tight corners
- Manual filter cleaning to keep the filter clear and suction high

Technical data

Container capacity	3.5 L
Dust class	L
Suction capacity	35 L/S
Rated input power	330 W
Dust capacity	3 kg
Dimensions (LxWxH)	380 x 222.5 x 284 mm



Order Now













Ordering designation	Package contents	Sales pack quantity	Item number
VC 5-A22	1x Vacuum cleaner VC 5-A22 Assy	1 pc	2187660
VC 5-A22 Kit 110V	1x Vacuum cleaner VC 5-A22 Assy, 2xBattery pack B 22/5.2 Li-ion, 1x Quick charger 110V	1 pc	3630507
VC 5-A22 Kit 230V	1x Vacuum cleaner VC 5-A22 Assy, 2xBattery pack B 22/5.2 Li-ion, 1x Quick charger 230V	1 pc	3630506

Ordering designation		Sales pack quantity	Item number
Dry filter VC 5		1 pc	2192229
Dust bag VC 5		5 pc	2192260
Floor nozzle VC 5		1 pc	2206016
Blower VC 5		1 pc	2214622

Please visit Hilti website for the latest item numbers and related products

Accessories for Vacuum Cleaners

		VC 20-U(M)	VC 40-U(M)	VC 40-U(M)-Y		
Ordering designation					Sales pack quantity	Item number
Accessory kit VC 20/40		■	■	■	1 pc	2044213 ¹⁾
Adapter plate VC 20/40		■	■	■	1 pc	2044211 ¹⁾
Battery pack B 36/6.0 Li-Ion				■	1 pc	2018896
Dust bag VC 20 (10) plastic For collecting wet & dry dust		■			10 pc	203854
Dust bag VC 20 (5) assy For collecting wood dust		■			5 pc	203858
Dust bag VC 40 (10) plastic For collecting wet and dry dust			■	■	10 pc	203852 ¹⁾
Dust bag VC 40 (5) assy For collecting wood dust			■	■	5 pc	203856 ¹⁾
Dust bag VC 40 (5) PES For dry and wet dust collection			■	■	5 pc	203857 ¹⁾
Filter VC 20/40 dry For filtering dry dust		■	■	■	1 pc	2121386
Filter VC 20/40 Universal For filtering dry & wet dust		■	■	■	1 pc	2121387
Push bar VC 20		■			1 pc	2044214 ¹⁾
Push bar VC 40 Foldable push bar handle			■	■	1 pc	2047174
Tool box VC 20/40		■	■	■	1 pc	2044212 ¹⁾

¹⁾For detailed stock availability and lead time information please contact your Hilti representative.

Please visit Hilti website for the latest item numbers and related products