



Shell Gadus S5 V42P 2.5

Safety Data Sheet

according to the United Nations GHS (Rev. 10, 2023)

Issue date: 08/07/2025

Revision date: 08/07/2025

:

Version: 1.0

SECTION 1: Identification

1.1. GHS Product identifier

Product form	Mixture
Product name	Shell Gadus S5 V42P 2.5
Product code	BU ET&A

1.2. Other means of identification

No additional information available

1.3. Recommended use of the chemical and restrictions on use

Use of the substance/mixture	Lubricant
Restrictions on use	For professional use only

1.4. Supplier's details

Supplier

Maagtechnic AG
Sonnentalstrasse 8
CH-8600 Dübendorf 1
Switzerland
T +41 44 824 91 91
lubeinfo@maagtechnic.com

Department issuing data specification sheet

Hilti AG
Feldkircherstraße 100
FL 9494 Schaan
Liechtenstein
T +423 234 2111
product.compliance-power.tools@hilti.com

1.5. Emergency phone number

Emergency number	Emergency CONTACT (24-Hour-Number): GBK GmbH Global Regulatory Compliance +49 (0)6132-84463
------------------	---

SECTION 2: Hazard identification

2.1. Classification of the substance or mixture

Classification according to the United Nations GHS

Hazardous to the aquatic environment – Acute Hazard, Category 3	H402	Calculation method
Hazardous to the aquatic environment – Chronic Hazard, Category 3	H412	Calculation method
Full text of H-statements: see section 16		
Adverse physicochemical, human health and environmental effects	Harmful to aquatic life with long lasting effects.	

2.2. GHS Label elements, including precautionary statements

Labelling according to the United Nations GHS

Signal word (GHS UN)	-
Hazard statements (GHS UN)	H412 - Harmful to aquatic life with long lasting effects
Precautionary statements (GHS UN)	P273 - Avoid release to the environment. P501 - Dispose of contents and container to an approved waste disposal plant.

2.3. Other hazards which do not result in classification

No additional information available

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

Shell Gadus S5 V42P 2.5

Safety Data Sheet

according to the United Nations GHS (Rev. 10, 2023)

3.2. Mixtures

Name	Product identifier	%	Classification according to the United Nations GHS
Distillates (Fischer-Tropsch), heavy, C18-50-branched, cyclic and linear	CAS-No.: 848301-69-9	60 – 80	Flammable liquids Not classified Acute toxicity (oral) Not classified Aspiration hazard, Category 1, H304
zinc naphthenate	CAS-No.: 84418-50-8	0.1 – <1	Flammable liquids Not classified Serious eye damage/eye irritation, Category 2, H319 Skin sensitisation, category 1B, H317 Hazardous to the aquatic environment – Acute Hazard, Category 2, H401 Hazardous to the aquatic environment – Chronic Hazard, Category 2, H411
zinc oxide	CAS-No.: 1314-13-2	0.1 – <1	Acute toxicity (inhalation:dust,mist) Not classified Hazardous to the aquatic environment – Acute Hazard, Category 1, H400 Hazardous to the aquatic environment – Chronic Hazard, Category 1, H410
Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene	CAS-No.: 68411-46-1	0.1 – <1	Reproductive toxicity, Category 2, H361 Hazardous to the aquatic environment – Acute Hazard Not classified Hazardous to the aquatic environment – Chronic Hazard, Category 3, H412

Full text of H-statements: see section 16

SECTION 4: First-aid measures

4.1. Description of necessary first-aid measures

First-aid measures general	Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).
First-aid measures after inhalation	Remove person to fresh air and keep comfortable for breathing. Allow affected person to breathe fresh air. Allow the victim to rest. If experiencing respiratory symptoms: Call a poison center or a doctor.
First-aid measures after skin contact	Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse. Wash contaminated clothing before reuse.
First-aid measures after eye contact	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
First-aid measures after ingestion	Rinse mouth. Do NOT induce vomiting. Get medical advice/attention.

Shell Gadus S5 V42P 2.5

Safety Data Sheet

according to the United Nations GHS (Rev. 10, 2023)

4.2. Most important symptoms/effects, acute and delayed

Symptoms/effects after skin contact	Prolonged or repeated skin contact without proper cleaning can clog the pores of the skin resulting in disorders such as oil acne/folliculitis. Necrosis. High pressure injection of product under the skin can have very serious consequences even without apparent symptoms or injuries.
Symptoms/effects after ingestion	Ingestion may cause nausea, vomiting and diarrhea.
Chronic symptoms	Symptoms may be delayed.
Potential adverse human health effects and symptoms	Based on available data, the classification criteria are not met.

4.3. Indication of immediate medical attention and special treatment needed, if necessary

No additional information available

SECTION 5: Fire-fighting measures

5.1. Suitable extinguishing media

Suitable extinguishing media	Foam. Water spray. Dry powder. Carbon dioxide. Sand.
Unsuitable extinguishing media	Do not use a heavy water stream.

5.2. Specific hazards arising from the chemical

Fire hazard	No fire hazard.
Explosion hazard	No direct explosion hazard.
Reactivity in case of fire	Hazardous decomposition products in case of fire.
Hazardous decomposition products in case of fire	Carbon dioxide. Carbon monoxide. Toxic fumes may be released.

5.3. Special protective actions for fire-fighters

Precautionary measures fire	Dispose of fire debris and contaminated fire fighting water in accordance with official regulations. Do not allow run-off from fire-fighting to enter drains or water courses.
Firefighting instructions	Exercise caution when fighting any chemical fire. Prevent fire fighting water from entering the environment. Do not enter fire area without proper protective equipment, including respiratory protection.
Protection during firefighting	Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures	Spilled material may present a slipping hazard.
Prevention Measures for Secondary Accidents	No additional information available.

6.1.1. For non-emergency personnel

Protective equipment	Wear recommended personal protective equipment.
Emergency procedures	Evacuate unnecessary personnel. Ventilate spillage area.

6.1.2. For emergency responders

Protective equipment	Do not attempt to take action without suitable protective equipment. Equip cleanup crew with proper protection. For further information refer to section 8: "Exposure controls/personal protection".
Emergency procedures	Evacuate unnecessary personnel. Ventilate area. Stop leak if safe to do so.

6.2. Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters. Avoid release to the environment.

6.3. Methods and materials for containment and cleaning up

For containment	Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams. Collect all waste in suitable and labelled containers and dispose according to local legislation.
-----------------	--

Shell Gadus S5 V42P 2.5

Safety Data Sheet

according to the United Nations GHS (Rev. 10, 2023)

Methods for cleaning up	Shovel into suitable and closed container for disposal.
Other information	Dispose of materials or solid residues at an authorized site.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling	Ensure good ventilation of the work station. Wear personal protective equipment. Do not get in eyes, on skin, or on clothing. Do not breathe vapours, spray. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapour.
Hygiene measures	Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures	Keep in a cool, well-ventilated place away from heat.
Storage conditions	Keep cool. Protect from sunlight. Keep container closed when not in use. Keep only in original container.
Incompatible materials	PVC.
Heat and ignition sources	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Monitoring methods	
Monitoring methods	A specific exposure sampling method is not available.

8.2. Appropriate engineering controls

Appropriate engineering controls	Ensure good ventilation of the work station.
Environmental exposure controls	Avoid release to the environment.
Other information	Do not eat, drink or smoke during use.

8.3. Individual protection measures, such as personal protective equipment (PPE)

Personal protective equipment:	
Avoid all unnecessary exposure.	
Hand protection	Protective gloves
Eye protection	Wear security glasses which protect from splashes
Skin and body protection	Wear suitable protective clothing
Respiratory protection	In case of insufficient ventilation, wear suitable respiratory equipment

Personal protective equipment symbol(s)



8.4. Exposure limit values for the other components

No additional information available

Shell Gadus S5 V42P 2.5

Safety Data Sheet

according to the United Nations GHS (Rev. 10, 2023)

SECTION 9: Physical and chemical properties

9.1. Basic physical and chemical properties

Physical state	Liquid
Appearance	Pasty
Colour	light brown.
Odour	characteristic.
Odour threshold	Not available
Melting point	Not applicable
Freezing point	Not available
Boiling point	Not available
Flammability	Not available
Lower explosion limit	1 vol % (typical)
Upper explosion limit	10 vol % (typical)
Flash point	Not available
Auto-ignition temperature	> 320 °C
Decomposition temperature	Not available
pH	Not applicable
pH solution	Not available
Viscosity, kinematic (calculated value) (40 °C)	42 mm ² /s (40 °C) ASTM D445
Partition coefficient n-octanol/water (Log Pow)	> 6 Data from similar product
Partition coefficient n-octanol/water (Log Kow)	Not available
Vapour pressure	< 0.5 Pa (estimated value)
Vapour pressure at 50°C	Not available
Density	900 kg/m ³ (15 °C)
Relative density	0.9 (15 °C)
Relative vapour density at 20°C	Not available
Solubility	Water: Negligible
Particle size	Not applicable

9.2. Data relevant with regard to physical hazard classes (supplemental)

VOC content	0 %
-------------	-----

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

Direct sunlight. Extremely high or low temperatures.

10.5. Incompatible materials

Strong oxidizing agents.

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity (oral)	Not classified
-----------------------	----------------

Shell Gadus S5 V42P 2.5

Safety Data Sheet

according to the United Nations GHS (Rev. 10, 2023)

Acute toxicity (dermal) Not classified
Acute toxicity (inhalation) Not classified

Distillates (Fischer-Tropsch), heavy, C18-50-branched, cyclic and linear (848301-69-9)	
LD50 oral rat	> 5000 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Guideline 420 (Acute Oral Toxicity - Fixed Dose Method), Guideline: EU Method B.1 bis (Acute Oral Toxicity - Fixed Dose Procedure)

zinc naphthenate (84418-50-8)	
LD50 oral rat	> 2000 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Guideline 423 (Acute Oral toxicity - Acute Toxic Class Method)
LD50 dermal rabbit	> 2000 mg/kg bodyweight Animal: rabbit, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)
LC50 Inhalation - Rat	> 0.42 mg/l air Animal: rat, Guideline: OECD Guideline 403 (Acute Inhalation Toxicity)

zinc oxide (1314-13-2)	
LD50 oral rat	> 2000 mg/kg OECD guideline No 401/423 micro- and nanomaterial zinc oxide
LD50 dermal rat	> 2000 mg/kg OECD guideline No 402 - nano zinc oxide
LC50 Inhalation - Rat	> 5.7 mg/l/4h OECD guideline No 403 - micro zinc oxide

Skin corrosion/irritation Not classified
pH: Not applicable
Serious eye damage/irritation Not classified
pH: Not applicable
Respiratory or skin sensitization Not classified
Germ cell mutagenicity Not classified
Carcinogenicity Not classified
Reproductive toxicity Not classified
STOT-single exposure Not classified
STOT-repeated exposure Not classified
Aspiration hazard Not classified

Shell Gadus S5 V42P 2.5	
Viscosity, kinematic	42 mm²/s (40 °C) ASTM D445

Potential adverse human health effects and symptoms Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general Harmful to aquatic life with long lasting effects.
Hazardous to the aquatic environment, short-term (acute) Harmful to aquatic life.
Classification procedure (Hazardous to the aquatic environment, short-term (acute)) Calculation method
Hazardous to the aquatic environment, long-term (chronic) Harmful to aquatic life with long lasting effects.
Classification procedure (Hazardous to the aquatic environment, long-term (chronic)) Calculation method

zinc naphthenate (84418-50-8)	
LC50 - Fish [1]	≈ 5.62 mg/l Test organisms (species): Pimephales promelas
Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene (68411-46-1)	
LC50 - Fish [1]	> 100 mg/l

Shell Gadus S5 V42P 2.5

Safety Data Sheet

according to the United Nations GHS (Rev. 10, 2023)

Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene (68411-46-1)	
LC50 - Other aquatic organisms [1]	> 100 mg/l

12.2. Persistence and degradability

Shell Gadus S5 V42P 2.5	
Persistence and degradability	No additional information available.
Distillates (Fischer-Tropsch), heavy, C18-50-branched, cyclic and linear (848301-69-9)	
Persistence and degradability	Rapidly degradable
zinc naphthenate (84418-50-8)	
Persistence and degradability	Rapidly degradable
zinc oxide (1314-13-2)	
Persistence and degradability	Rapidly degradable
Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene (68411-46-1)	
Persistence and degradability	Not rapidly degradable

12.3. Bioaccumulative potential

Shell Gadus S5 V42P 2.5	
Partition coefficient n-octanol/water (Log Kow)	> 6 Data from similar product
Bioaccumulative potential	Not established.
Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene (68411-46-1)	
Bioconcentration factor (BCF REACH)	411

12.4. Mobility in soil

Shell Gadus S5 V42P 2.5	
Mobility in soil	No additional information available

12.5. Other adverse effects

Ozone	Not classified
Other adverse effects	No additional information available
Other information	Avoid release to the environment.

SECTION 13: Disposal considerations

13.1. Disposal methods

Regional waste regulation	Disposal must be done according to official regulations.
Waste treatment methods	Dispose of contents/container in accordance with licensed collector's sorting instructions.
Sewage disposal recommendations	Disposal must be done according to official regulations.
Product/Packaging disposal recommendations	Dispose in a safe manner in accordance with local/national regulations.
Ecological waste information	Avoid release to the environment.
Additional information	Do not re-use empty containers.

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / RID /



Shell Gadus S5 V42P 2.5

Safety Data Sheet

according to the United Nations GHS (Rev. 10, 2023)

ADR	IMDG	IATA	RID
14.1. UN number or ID number			
Not regulated	Not regulated	Not regulated	Not regulated
14.2. UN proper shipping name			
Not regulated	Not regulated	Not regulated	Not regulated
14.3. Transport hazard class(es)			
Not regulated	Not regulated	Not regulated	Not regulated
14.4. Packing group			
Not regulated	Not regulated	Not regulated	Not regulated
14.5. Environmental hazards			
Not regulated	Not regulated	Not regulated	Not regulated
No supplementary information available			

14.6. Special precautions for user

Overland transport

Not regulated

Transport by sea

Not regulated

Air transport

Not regulated

Rail transport

Not regulated

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations specific for the product in question

No additional information available

SECTION 16: Other information

Issue date 7/8/2025
Revision date 7/8/2025

Abbreviations and acronyms

ACGIH - American Conference of Government Industrial Hygienists
ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE - Acute Toxicity Estimate
BCF - Bioconcentration factor
BLV - Biological limit value
BOD - Biochemical oxygen demand (BOD)
CAS-No. - Chemical Abstract Service number

Shell Gadus S5 V42P 2.5

Safety Data Sheet

according to the United Nations GHS (Rev. 10, 2023)

CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008
 COD - Chemical oxygen demand (COD)
 CSA - Chemical safety assessment
 DMEL - Derived Minimal Effect level
 DNEL - Derived-No Effect Level
 EC-No. - European Community number
 EC50 - Median effective concentration
 ED - Endocrine disruptor
 EN - European Standard
 EWC - European waste catalogue
 IARC - International Agency for Research on Cancer
 IATA - International Air Transport Association
 IMDG - International Maritime Dangerous Goods
 LC50 - Median lethal concentration
 LD50 - Median lethal dose
 LOAEL - Lowest Observed Adverse Effect Level
 Log Kow - Partition coefficient n-octanol/water (Log Kow)
 Log Pow - Partition coefficient n-octanol/water (Log Pow)
 MAK - maximum workplace concentration
 NOAEC - No-Observed Adverse Effect Concentration
 NOAEL - No-Observed Adverse Effect Level
 NOEC - No-Observed Effect Concentration
 N.O.S. - Not Otherwise Specified
 OECD - Organisation for Economic Co-operation and Development
 OEL - Occupational Exposure Limit
 OSHA - Occupational Safety Health Administration
 PBT - Persistent Bioaccumulative Toxic
 PNEC - Predicted No-Effect Concentration
 PPE - Personal protection equipment
 RID - Regulations concerning the International Carriage of Dangerous Goods by Rail
 SDS - Safety Data Sheet
 STP - Sewage treatment plant
 TF - Technical function
 ThOD - Theoretical oxygen demand (ThOD)
 TLM - Median Tolerance Limit
 TWA - Time Weighted Average
 VOC - Volatile Organic Compounds
 vPvB - Very Persistent and Very Bioaccumulative
 UFI - Unique Formula Identifier

Other information

None.

Full text of H-statements:	
Acute Tox. Not classified (Inhalation:dust,mist)	Acute toxicity (inhalation:dust,mist) Not classified
Acute Tox. Not classified (Oral)	Acute toxicity (oral) Not classified
Aquatic Acute 1	Hazardous to the aquatic environment – Acute Hazard, Category 1
Aquatic Acute 2	Hazardous to the aquatic environment – Acute Hazard, Category 2
Aquatic Acute 3	Hazardous to the aquatic environment – Acute Hazard, Category 3
Aquatic Acute Not classified	Hazardous to the aquatic environment – Acute Hazard Not classified
Aquatic Chronic 1	Hazardous to the aquatic environment – Chronic Hazard, Category 1
Aquatic Chronic 2	Hazardous to the aquatic environment – Chronic Hazard, Category 2
Aquatic Chronic 3	Hazardous to the aquatic environment – Chronic Hazard, Category 3



Shell Gadus S5 V42P 2.5

Safety Data Sheet

according to the United Nations GHS (Rev. 10, 2023)

Full text of H-statements:	
Asp. Tox. 1	Aspiration hazard, Category 1
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Flam. Liq. Not classified	Flammable liquids Not classified
Repr. 2	Reproductive toxicity, Category 2
Skin Sens. 1B	Skin sensitisation, category 1B
H304	May be fatal if swallowed and enters airways
H317	May cause an allergic skin reaction
H319	Causes serious eye irritation
H361	Suspected of damaging fertility or the unborn child
H400	Very toxic to aquatic life
H401	Toxic to aquatic life
H402	Harmful to aquatic life
H410	Very toxic to aquatic life with long lasting effects
H411	Toxic to aquatic life with long lasting effects
H412	Harmful to aquatic life with long lasting effects

SDS_UN_Hilti

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.